


## ENGINES

	3.2 AWD (B6324S5)	T5 (B4204T11)
Type	In-line 6-cyl. petrol	In-line 4-cyl. turbo petrol
Configuration	Transverse, all wheel drive	Transverse, front wheel drive
Displacement, cm <sup>3</sup>	3192	1969
Bore (mm)	84.0	82.0
Stroke (mm)	96.0	93.2
Engine cylinder block material	Aluminium	Aluminium
Cylinderhead material	Aluminium	Aluminium
Compression ratio	10.8:1	10.8:1
Valves, no/cylinder	4	4
Camshafts	2	2
Engine management system	Integrated fuel (SFI)/ignition control systems	Integrated fuel (SFI)/ignition control systems
Ignition sequence	1 - 5 - 3 - 6 - 2 - 4	1 - 3 - 4 - 2
Engine idling speed, rpm	590	875-950
Fuel, rec. octane	91-98 RON	91-98 RON
Max output, kW (hp)/rpm	179 (243)/6400	180 (245)/5500
Max torque, Nm/rpm	320/3200	350/1500-4800

## POWER AND TORQUE →



NOT AVAILABLE

Manual gearbox/final drive				
Automatic gearbox/final drive	AW TF-80SC	3.750	AW TG-81SC	3.329
<b>PERFORMANCE</b>				
Gearbox		Automatic		Automatic
Acceleration, 0-100 km/h (sec)		9.9		7.2
Top speed, km/h		210		210
Fuel consumption l/100 km (Combined)		9.9		6.7
CO <sub>2</sub> g/km		229		157

## TRANSMISSIONS

6-speed manual and automatic gearbox.


8-speed automatic gearbox.

RATIO	AW TG-81SC	AW TF-80 SC	M66 F	M66K	M66E
First	5.250	4.148	3.583	3.583	3.750
Second	3.029	2.370	2.050	1.905	1.905
Third	1.950	1.556	1.267	1.194	1.194
Fourth	1.457	1.155	0.838	0.838	0.838
Fifth	1.221	0.859	0.617	0.652	0.652
Sixth	1.000	0.686	0.510	0.540	0.540
Seventh	0.809				
Eighth	0.673				
Reverse	4.015	3.394	2.833	3.435	3.206

ENGINES	T6 (B4204T9)	T6 AWD (B6304T4)
Type	In-line 4-cyl. turbo petrol	In-line 6-cyl. turbo petrol
Configuration	Transverse, front wheel drive	Transverse, all wheel drive
Displacement, cm <sup>3</sup>	1969	2953
Bore (mm)	82.0	82.0
Stroke (mm)	93.2	93.2
Engine cylinder block material	Aluminium	Aluminium
Cylinderhead material	Aluminium	Aluminium
Compression ratio	10.3:1	9.3:1
Valves, no/cylinder	4	4
Camshafts	2	2
Engine management system	Integrated fuel (SFI)/ignition control systems	Integrated fuel (SFI)/ignition control systems
Ignition sequence	1 - 3 - 4 - 2	1 - 5 - 3 - 6 - 2 - 4
Engine idling speed, rpm	875-950	590
Fuel, rec. octane	91-98 RON	91-98 RON
Max output, kW (hp)/rpm	225 (306)/5700	224 (304)/5600
Max torque, Nm/rpm	400/2100-4500	440/2100-4200

**POWER AND TORQUE →**

NOT AVAILABLE





Manual gearbox/final drive			
Automatic gearbox/final drive	AW TG-81SC	3.329	AW TF-80SC 3.750
<b>PERFORMANCE</b>			
Gearbox		Automatic	Automatic
Acceleration, 0-100 km/h (sec)		6.9	6.9
Top speed, km/h		210	210
Fuel consumption l/100 km (Combined)		7.3	10.7
CO <sub>2</sub> g/km		169	249

**CHASSIS**

Suspension	front	McPherson Strut, Coil Springs, Hydraulic Shock Absorbers, Stabilizer Bar
	rear	Independent Suspension with Coil Springs, Hydraulic Shock Absorbers, Stabilizer Bar
Steering		Power Assisted Rack and Pinion Steering
Turning circle, (curb to curb)		11.7 m
Braking system		Antilock Braking System (ABS) with Electronic Brake Distribution (EBD) and Electronic Brake Assistance (EBA)
Braking distance, 100-0 km/h		39 m
Brake disc diameter	front	328 mm
	rear	302 mm

ENGINES	D3 (D5204T7)	D4 (D5244T17)	D4 (D4204T5)
Type	In-line 5-cyl. turbo diesel	In-line 5-cyl. turbo diesel	In-line 4-cyl. turbo diesel
Configuration	Transverse, front wheel drive	Transverse, all wheel drive	Transverse, front wheel drive
Displacement, cm <sup>3</sup>	1984	2400	1969
Bore (mm)	81.0	81.0	82.0
Stroke (mm)	77.0	93.2	93.2
Engine cylinder block material	Aluminium	Aluminium	Aluminium
Cylinderhead material	Aluminium	Aluminium	Aluminium
Compression ratio	16.5:1	16.5:1	15.8:1
Valves, no/cylinder	4	4	4
Camshafts	2	2	2
Engine management system	Electronically controlled common rail direct injection	Electronically controlled common rail direct injection	Electronically controlled common rail direct injection
Ignition sequence	1 - 2 - 4 - 5 - 3	1 - 2 - 4 - 5 - 3	1 - 3 - 4 - 2
Engine idling speed, rpm	700	740 man/700 aut	825
Fuel, rec. octane	Cetane Number: Min 48	Cetane Number: Min 48	Cetane Number: Min 48
Max output, kW (hp)/rpm	100 (136)/3500	120 (163)/4000	133 (181)/4250
Max torque, Nm/rpm	350/1500–2250	420/1500–2500	400/1750–2500

**POWER AND TORQUE →**






NOT AVAILABLE

Manual gearbox/final drive	M66K M4A	4.267	M66E N6A	4.786	M66F FD	4.533
Automatic gearbox/final drive	AW TF-80SC	3.604	AW TF-80SC	3.750	AW TG-81SC	3.075
<b>PERFORMANCE</b>						
Gearbox	Manual	Automatic	Manual	Automatic	Manual	Automatic
Acceleration, 0–100 km/h (sec)	11.2	11.2	10.5	10.9	8.5	8.5
Top speed, km/h	190	185	195	190	210	210
Fuel consumption l/100 km (Combined)	5.3	6.0	5.3	6.4	4.4	4.6
CO <sub>2</sub> g/km	139	159	139	169	116	123

ENGINES	D4 (D5244T12)	D5 AWD (D5244T11)	D5 AWD (D5244T15)
Type	In-line 5-cyl. turbo diesel	In-line 5-cyl. turbo diesel	In-line 5-cyl. turbo diesel
Configuration	Transverse, all wheel drive	Transverse, all wheel drive	Transverse, all wheel drive
Displacement, cm <sup>3</sup>	2400	2400	2400
Bore (mm)	81.0	81.0	81.0
Stroke (mm)	93.2	93.15	93.15
Engine cylinder block material	Aluminium	Aluminium	Aluminium
Cylinderhead material	Aluminium	Aluminium	Aluminium
Compression ratio	16.5:1	16.5:1	16.5:1
Valves, no/cylinder	4	4	4
Camshafts	2	2	2
Engine management system	Electronically controlled common rail direct injection	Electronically controlled common rail direct injection	Electronically controlled common rail direct injection
Ignition sequence	1 - 2 - 4 - 5 - 3	1 - 2 - 4 - 5 - 3	1 - 2 - 4 - 5 - 3
Engine idling speed, rpm	700	740	700
Fuel, rec. octane	Cetane Number: Min 48	Cetane Number: Min 48	Cetane Number: Min 48
Max output, kW (hp)/rpm	133 (181)/4000	158 (215)/4000	158 (215)/4000
Max torque, Nm/rpm	420/1500–2500	420/1500–3250	440/1500–3000

**POWER AND TORQUE →**



Manual gearbox/final drive	M66E N6A	4.786	M66E N6A	4.786
Automatic gearbox/final drive	AW TF-80SC	3.750		AW TF-80SC 3.750
<b>PERFORMANCE</b>				
Gearbox	Manual	Automatic	Manual	Automatic
Acceleration, 0–100 km/h (sec)	9.6	9.9	8.1	8.3
Top speed, km/h	200	195	210	205
Fuel consumption l/100 km (Combined)	5.3	6.4	5.3	6.4
CO <sub>2</sub> g/km	139	169	139	169

**MEASUREMENTS AND VOLUMES**

**EXTERIOR MEASUREMENTS (CM)**

Length	464.4
Width (without mirrors)	189.1
Height (including shark fin)	171.3
Wheelbase	277.4
Track, front, (17"/18")	163.2/163.2
Track, rear, (17"/18")	158.6/158.6
Ground clearance	23.0

**WEIGHTS/MISCELLANEOUS**

Curb weight, kg (min-max, depending on setup)	1816-1935
Fuel tank, l	70
Max. trailer weight, kg	1600-2000
Max roof load, kg	100
Drag coefficient, Cd	0.35

**INTERIOR MEASUREMENTS (CM)**

Headroom without panorama roof (front/rear)	99.2/100.3
Headroom with panorama roof (front/rear)	96.9/96.9
Passenger compartment width at shoulder height (front/rear)	143.9/140.3
Leg room (front/rear)	104.7/92.4
Cargo volume, including under floor storage (ISO V211)	495
Cargo length from the first seatback to the tailgate measured at: - the height of the floor covering	178.9
Cargo length from the second seatback to the tailgate measured at: - the height of the floor covering	97.2
Cargo height (rear wheel center and car center line)	80.2
Rear opening height (car center line)	80.2
Width of luggage compartment between wheelhouses	113.0

