



Fact sheet ME

General specs:

SIM card:	2 Nano SIM cards, supports hot-plugging
Voice:	Supports CSFB, VoLTE
LED:	3-colour breath
Side key:	Power, volume +/-
Soft key:	Home, back, recent window
USB interface:	Micro USB type C
Fast charger:	Qualcomm® 2.0, 9V2A
Video call:	Supported
Record:	Supported
Video:	Supported
Mic:	2
HD Voice:	Supported
Music:	Hi-fi, Dirac
Audio codec:	AMR-NB, AMR-WB, MIDI, iMelody, WAV, MP3, AAC
Video codec:	H.263, MPEG-4, H.264, supports 2K video
Speaker:	Single
Smart PA:	Supported
Receiver:	Holeless (ceramic sound transmission) Supports wide, narrow bands
Vibration notification:	General motor
Headset interface:	CTIA 3.5mm, hi-fi compatible
T-card interface:	Up to 128GB; supports SD3.0, hot-plugging
BT:	4.1

Gigaset

Wireless LAN:	Dual band support 2.4G & 5G 802.11 a/b/g/n/ac Supports WAPI (China) Supports SoftAP Supports Wi-Fi display Supports Wi-Fi MIMO
Navigation:	GPS, GLONASS, BeiDou
Technical Specs:	
Chipset:	MSM8994 Qualcomm® Snapdragon™ 810
Memory:	DDR4, 3GB; eMMC, 32GB
Touch screen:	Incell, 5-inch FHD; resolution: 1080x1920 443ppi capable multi-point
Camera:	Main: 16M, AF, W/O, OIS, IMX230, f2.0, 1.34µm Front: 8M, FF, f2.0, 1.4µm, 120° wide-angle lens
Speed:	LTE Cat 6, DL up to 300Mbps, UL up to 50Mbps
Flash LED:	Dual colour flash
Common sensors:	Gravity, electronic compass, proximity, light, gyroscope
Special sensors:	Fingerprint identification, IrDA, heart rate, UV
Battery:	3,000mAh, 3.8V

Design ME:

Weight:	160g
Size:	5-inch display; thickness: 7.7mm, width: 69.4mm
Other:	Holeless; slim biz: 1.9mm; 2.5D glass; steel mid frame

More information on Gigaset can be found at www.gigaset.com

Contact

Gigaset AG

Stefan Zuber, Head of Corporate Communications & Investor Relations, Gigaset AG

Raphael Dörr, Press Spokesman, Gigaset AG

Gigaset

Phone: +49 (0)89 444-456 - 866

E-mail: info.presse@gigaset.com