


# MICHELIN *PILOT SPORT 4 S*

Width: 225 to 345  
Height: 45 to 30  
Diameter: 19" to 20"  
Speed symbol: ZR (Y) & Y  
Load index: XL

NEW!



C & E

A-B

71-73dB

Summer  
conditions \*\*

Sport & High  
Performance Cars



More all round performance due to  
MICHELIN leading technologies.

(1) Thanks to external tests realized by TÜV SÜD in June and July 2016 in 255/35-19 96Y XL with BRIDGESTONE Potenza S001, CONTINENTAL ContiSportContact 6, DUNLOP Sport Maxx RT 2, GOODYEAR Eagle F1 Asymmetric 3, and PIRELLI PZero Nero GT bought on European replacement market in 2016 by TÜV SÜD.

(2) Thanks to external tests realized by DEKRA Test Center in June and July 2016 in 255/35-19 96Y XL with BRIDGESTONE Potenza S001, CONTINENTAL SportContact 6, DUNLOP Sport Maxx RT 2, GOODYEAR Eagle F1 Asymmetric 3, and PIRELLI PZero Nero GT bought on European replacement market in 2016 by TÜV SÜD.

**GENUINE PASSION. EXCEPTIONAL DRIVES.**

1<sup>st</sup> on the largest number of essential performances:

**1<sup>st</sup> on DRY braking** <sup>(1)</sup>

**1<sup>st</sup> on WET braking** <sup>(1)</sup>

**1<sup>st</sup> in DRY laptime** <sup>(1)</sup>

**1<sup>st</sup> in longevity** <sup>(2)</sup>

The best of MICHELIN Pilot Super Sport further enhanced by  
MICHELIN PSCUP2 learnings.



# MICHELIN *PILOT SPORT 4 S*



## **EXCELLENT STEERING CONTROL**

*“Dynamic response” technology: a hybrid belt of aramid and nylon ensures optimum transmission of steering instructions onto the road.*

## **HIGH LEVEL OF REACTIVITY**

*Ultra-reactive tread pattern design, adapts continuously to the road, for optimized footprint on the road.*



# MICHELIN *PILOT SPORT 4 S*



## **EXCEPTIONAL DRY GRIP AND IMPROVEMENT OF WET BRAKING**

*“BI-COMPOUND TECHNOLOGY”:*

*-Outer side: a novel hybrid elastomer for DRY grip,*

*-Inner side: new mix of compound with specific  
“functional elastomers” and silica provides excellent  
WET grip and braking.*





# MICHELIN *PILOT SPORT 4 S*



## **A GENUINE CRAFTING PROCESS**

*A high-precision process and a unique knowhow associated to the perfect gesture of Michelin experts*



# MICHELIN *PILOT SPORT 4 S*



## ***PREMIUM TOUCH FINISH***

*Velvet effect creates a variety of black contrasts on the outside sidewall.*

## ***DEEP RIM PROTECTOR***

*A protection for all kind of wheels.*



# MICHELIN *PILOT SPORT 4 S*

## ACCLAIMED BY CAR MAKERS

New vehicles are fitted with the new MICHELIN Pilot Sport tire line:



FERRARI GTC4 LUSSO 2017



MERCEDES AMG E-Class E63 2017



MERCEDES AMG E-Class E43 2017



MICHELIN *PILOT SPORT 4 S* 

# ***PERFORMANCE COMPARATOR***




***EUROPE***



# HIGH REACTIVITY ON DRY SURFACES

Tests prove MICHELIN PILOT SPORT <sup>4</sup> S excels compared to its competitors when braking on a dry surface from 100km/hr to a complete stop\*.



\*Thanks to external tests realized by TÜV SÜD in June and July 2016 in 255/35-19 96Y XL with BRIDGESTONE Potenza S001, CONTINENTAL SportContact 6, DUNLOP Sport Maxx RT 2, GOODYEAR Eagle F1 Asymmetric 3, and PIRELLI PZero Nero GT bought on European replacement market in 2016 by TÜV SÜD.






# HIGH REACTIVITY ON DRY SURFACES

MICHELIN PILOT SPORT <sup>4</sup> S tyres outperform competitors in dry handling lap time performance on a 2,600m track.\*

2600M  
TRACK




\*Thanks to external tests realized by TÜV SÜD in June and July 2016 in 255/35-19 96Y XL with BRIDGESTONE Potenza S001, CONTINENTAL SportContact 6, DUNLOP Sport Maxx RT 2, GOODYEAR Eagle F1 Asymmetric 3, and PIRELLI PZero Nero GT bought on European replacement market in 2016 by TÜV SÜD.



## EXCELLENT MILEAGE: LASTS LONGER

MICHELIN PILOT SPORT <sup>4</sup> S tyre's mileage performance surpasses that of competitors.\*




\*Thanks to external tests realized by DEKRA Test Center in June and July 2016 in 255/35-19 96Y XL with BRIDGESTONE Potenza S001, CONTINENTAL SportContact 6, DUNLOP Sport Maxx RT 2, GOODYEAR Eagle F1 Asymmetric 3, and PIRELLI PZero Nero GT bought on European replacement market in 2016 by TÜV SÜD.



## HIGH SAFETY LEVEL ON WET SURFACES

External MICHELIN tests show MICHELIN PILOT SPORT <sup>4</sup> S prevails over competitors when braking on a wet surface from 80km/hr to a complete stop.\*



\*Thanks to external tests realized by TÜV SÜD in June and July 2016 in 255/35-19 96Y XL with BRIDGESTONE Potenza S001, CONTINENTAL SportContact 6, DUNLOP Sport Maxx RT 2, GOODYEAR Eagle F1 Asymmetric 3, and PIRELLI PZero Nero GT bought on European replacement market in 2016 by TÜV SÜD.



## 21 Dimensions: January 2017 Launch

19"

SKU	Dimensions
368279	235/40 ZR19 (96Y) EXTRA LOAD TL
546476	225/35 ZR19 (88Y) EXTRA LOAD TL
762575	235/35 ZR19 (91Y) EXTRA LOAD TL
856217	245/35 ZR19 (93Y) EXTRA LOAD TL
626309	255/35 ZR19 (96Y) EXTRA LOAD TL
731632	265/35 ZR19 (98Y) EXTRA LOAD TL
720439	275/35 ZR19 (100Y) EXTRA LOAD TL
377057	245/30 ZR19 (89Y) EXTRA LOAD TL
425359	255/30 ZR19 (91Y) EXTRA LOAD TL
767409	275/30 ZR19 (96Y) EXTRA LOAD TL

20"

SKU	Dimensions
866987	235/45 ZR20 (100Y) EXTRA LOAD TL
821582	255/40 ZR20 (101Y) EXTRA LOAD TL
764071	235/35 ZR20 (92Y) EXTRA LOAD TL
370943	245/35 ZR20 (95Y) EXTRA LOAD TL
646881	255/35 ZR20 (97Y) EXTRA LOAD TL
644530	285/35 ZR20 (104Y) EXTRA LOAD TL
497756	245/30 ZR20 (90Y) EXTRA LOAD TL
452361	265/30 ZR20 (94Y) EXTRA LOAD TL
120134	275/30 ZR20 (97Y) EXTRA LOAD TL
835474	295/30 ZR20 (101Y) EXTRA LOAD TL
094656	345/30 ZR20 (106Y) TL



## 5 Dimensions: February 2017 Launch

19"

SKU	Dimensions
786525	325/30 ZR19 (105Y) EXTRA LOAD TL

20"

SKU	Dimensions
649295	255/45 ZR20 (105Y) EXTRA LOAD TL
024701	245/40 ZR20 (99Y) EXTRA LOAD TL
463058	265/35 ZR20 (99Y) EXTRA LOAD TL
130568	305/30 ZR20 (103Y) EXTRA LOAD TL



## 8 Dimensions: March 2017 Launch

19"

SKU	Dimensions
146325	305/30 ZR19 (102Y) EXTRA LOAD TL
241929	295/30 ZR19 (100Y) EXTRA LOAD TL
256460	285/35 ZR19 (103Y) EXTRA LOAD TL
267565	225/45 ZR19 (96Y) EXTRA LOAD TL
358251	225/40 ZR19 (93Y) EXTRA LOAD TL
814204	265/30 ZR19 (93Y) EXTRA LOAD TL

20"

SKU	Dimensions
276849	275/35 ZR20 (102Y) EXTRA LOAD TL
710250	285/30 ZR20 (99Y) EXTRA LOAD TL

